according to Regulation (EC) No 1907/2006

Revision date: Reiniger 906

03.12.2020 Article No.: 09060 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

09060 Reiniger 906

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cleaner

#### 1.3. Details of the supplier of the safety data sheet

Company name: Tim Eckart Automatikölwechselsystem Manufaktur

Street: Schillerstr. 12

Place: D-36208 Wildeck-Obersuhl

Telephone: +49 (0) 6626 / 773936 Telefax: +49 (0) 6626 / 773953

e-mail: tim.eckart@automatikoelwechselsystem.de
Internet: www.automatikoelwechselsystem.de

**1.4. Emergency telephone** +49 (0) 172 / 3436381

number: In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24 - 08454

24 24 24 In Republic of Ireland: 01 809 2166

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May be fatal if swallowed and enters airways.

May cause damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

### Hazard components for labelling

hydrocarbons, C10-C13, n-alkanes, <2% aromatics

hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics

2,2,4,6,6-pentamethylheptane

hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Signal word: Danger

Pictograms:



## **Hazard statements**

H304 May be fatal if swallowed and enters airways.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

P260 Do not breathe mist/vapours/spray.
P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

according to Regulation (EC) No 1907/2006

Revision date: Reiniger 906

03.12.2020 Article No.: 09060 Page 2 of 8

## Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

Results of PBT and vPvB assessment: not applicable.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Chemical characterization

Solvent-based mixture.

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	hydrocarbons, C10-C13, n-alkanes	, <2% aromatics		25 - <= 100 %
	929-018-5		01-2119475608-26	
	Asp. Tox. 1; H304 EUH066			
	hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics			25 - <= 100 %
	927-285-2		01-2119480162-45	
	Asp. Tox. 1; H304 EUH066			
13475-82-6	2,2,4,6,6-pentamethylheptane			10 - < 20 %
	236-757-0		01-2119490725-29	
	Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 4; H226 H304 H413 EUH066			
64742-82-1	hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)			2.5 - < 5 %
	919-446-0	649-330-00-2	01-2119458049-33	
	Flam. Liq. 3, STOT SE 3, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H336 H372 H304 H411 EUH066			

Full text of H and EUH statements: see section 16.

# Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

### After inhalation

Remove casualty to fresh air and keep warm and at rest.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

according to Regulation (EC) No 1907/2006

Revision date: Reiniger 906

03.12.2020 Article No.: 09060 Page 3 of 8

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

### Unsuitable extinguishing media

Full water jet.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

#### Advice on protection against fire and explosion

No special measures are necessary.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

according to Regulation (EC) No 1907/2006

 Revision date:
 Reiniger 906

 03.12.2020
 Article No.: 09060

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-82-1	hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)			
Worker DNEL, long-term		inhalation	systemic	330 mg/m³
Worker DNEL, long-term		dermal	systemic	44 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	71 mg/m³
Consumer DNEL, acute		dermal	systemic	26 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day

### 8.2. Exposure controls

# Appropriate engineering controls

See chapter 7. No additional measures necessary.

### Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

#### Eye/face protection

Eye glasses with side protection.

### **Hand protection**

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

## Skin protection

Protective clothing.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: colourless, clear Odour: characteristic

Test method

pH-Value: not applicable

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

> 145 °C

Pour point:

not determined

> 145 not determined

Flash point:  $>= 61 \,^{\circ}\text{C}$  EN ISO 2719

Lower explosion limits: 0,5 vol. %
Upper explosion limits: 7,0 vol. %
Ignition temperature: not determined
Decomposition temperature: No information available.
Vapour pressure: not determined

according to Regulation (EC) No 1907/2006

 Revision date:
 Reiniger 906

 03.12.2020
 Article No.: 09060

Density (at 20 °C): 0,75 g/cm³ DIN EN ISO 12185

Water solubility: completely miscible
Partition coefficient: not determined
Viscosity / dynamic: not determined

Viscosity / kinematic: < 2 mm²/s ASTM D 7042

(at 20 °C)

Flow time: not determined 4 DIN EN ISO 2431

Vapour density: not determined Evaporation rate: not determined

### 9.2. Other information

No information available.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

No information available.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No information available.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-82-1	hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking. May cause damage to organs through prolonged or repeated exposure. (hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))

according to Regulation (EC) No 1907/2006

Revision date: Reiniger 906

03.12.2020 Article No.: 09060 Page 6 of 8

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### **Practical experience**

### Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-82-1	hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	3,70-6,70

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

## 12.6. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

## List of Wastes Code - residues/unused products

070604

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

# Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine pollutant: NO

according to Regulation (EC) No 1907/2006

Revision date: Reiniger 906

03.12.2020 Article No.: 09060 Page 7 of 8

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No data available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 100 % (750 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

# Abbreviations and acronyms

ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

CAS: Chemical Abstracts Service (a division of the American Chemical Society)

DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

according to Regulation (EC) No 1907/2006

Reiniger 906 Revision date: 03.12.2020 Page 8 of 8 Article No.: 09060

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

	<u> </u>
Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)